



ST SEBASTIEN FLUTE
PRODUCT GUIDE



ST SEBASTIEN FLUTE

www.sebastienflute.com

SEBASTIEN FLUTE ARCHERY PRODUCTS

Haute-Savoie / FRANCE
contact@sebastienflute.com

Finally, something new on the Sebastien Flute line up!

I would like through this manual to give you a complete view of my new brand of archery equipment.

After a first experience of creating a brand, I look advantage of 4 years of presence on the archery field, with the French teams but also with many clubs and the organization of major events to enrich my vision of development of archery equipment. I have articulated this new Sebastien Flute line up around the following pillars:

- Innovation technology
- Innovative design
- Manufacturing quality

At this stage of development, we are able to offer you a full line up of 4 bows, from the beginner looking to acquire their first bow, to the competitor looking for top level equipment I put my skills and efforts into all products! Now is the time to introduce my products to you.

Best regards,
Sebastien Flute
Brand Owner of Sebastien Flute

► Warranty

Please check this manual carefully. This manual contains very important information about your rights and obligations. Sebastien Flute Archery warranties only the ORIGINAL OWNER. Sebastien Flute Archery Risers, Limbs and Accessories will be replaced when factory defect is found for 2 years from date of purchase.

The original owner must provide an original and dated proof of purchase. This warranty is NOT transferable. All risers and limbs must have the original factory-attached serial number to the bow. The serial number must remain legible. This 2 years warranty covers normal use of the product, and Sebastien Flute Archery does not warrant and is not responsible for.

The use of aftermarket products/accessories that alter Sebastien Flute's specifications or design / Damage to strings, damping materials, finish (including paint, anodization, powder coat and film-dipped finishes) resulting from normal wear-and tear / If bow shows signs of misuse, alteration, or mishandling, the warranty will be void / Use of arrows weighing less than 5 grains per pound of draw weight will void the warranty.

► OBTAINING WARRANTY SERVICE

To obtain warranty service, you must return your bow to your Sebastien Flute Archery Retailer. The dealer can help to determine if Sebastien Flute factory service is required or if the dealer can complete the repair. Sebastien Flute Archery Retailers may provide additional services and apply additional charges for service work performed by the dealer. If the bow must be returned to the factory, the bow owner is responsible for the freight cost to Sebastien Flute wholesaler.



SEBASTIEN FLUTE

www.sebastienflute.com





ASCENT

MATERIAL : 6061 T6 Aluminium
 HANDEDNESS : RH/LH
 WEIGHT : 1320g
 LENGTH : 25"
 LIMB FITTING : ILF
 AVAILABLE COLORS
 - Satin Black, Dark Grey, Orange,
 Red, Purple, Satin Blue



ISO PRO

MATERIAL : 6061 T6 Aluminium
 HANDEDNESS : RH/LH
 WEIGHT : 1200g
 LENGTH : 25"
 LIMB FITTING : ILF
 AVAILABLE COLORS
 - Black, Dark Grey, Orange,
 Red, Purple, Blue



EVO

MATERIAL : 6061 T6 Aluminium
 HANDEDNESS : RH/LH
 WEIGHT : 1200g
 LENGTH : 25"
 LIMB FITTING : ILF
 AVAILABLE COLORS
 - Black, Dark Grey, Orange,
 Red, Purple, Blue

NEO

MATERIAL : 6061 T6 Aluminium
 HANDEDNESS : RH/LH
 WEIGHT : 1200g
 LENGTH : 25"
 LIMB FITTING : ILF
 AVAILABLE COLORS
 - Blue, Green, Yellow, Red,
 Grey, Black



ASCENT

LIMB FITTING: ILF
 AVAILABLE POUNDAGES: 26-44
 LENGTH: short, medium, long
 MATERIAL: Foam core, 3K cross
 and high modulus carbon

**150 PRO**

LIMB FITTING: ILF
 AVAILABLE POUNDAGES: 26-44
 LENGTH: short, medium, long
 MATERIAL: Foam core, 3K cross
 and high modulus carbon

**EVO**

LIMB FITTING: ILF
 AVAILABLE POUNDAGES: 26-44
 LENGTH: short, medium, long
 MATERIAL: Wood core,
 pultrusion glass and
 high modulus carbon

**NEO**

LIMB FITTING: ILF
 AVAILABLE POUNDAGES: 18-44
 LENGTH: short, medium, long
 MATERIAL: Wood core with
 carbon or fiber


**TILLER WEIGHT ADJUSTMENT**

1. Unstringing your bow by using a bowstringer
2. Loosen B and adjust A by turning
3. To increase weight, turn A clockwise (counter-clockwise to decrease).
When the desired poundage is set, hold A using one of 5mm wrench.
4. Tight B using the other 5mm wrench.

For advanced tuning methods,
ask your local dealer.

⚠ WARNING

When loosening A, always
make sure more than 2
turns are remaining.
it may cause the bow to
violently disassemble

**LIMB ALIGNMENT**

1. To RIGHT -> Loosen A and tighten B
2. To LEFT -> Loosen B and tighten A

* After all of the settings are done, fasten every bolt
and screw tightly.

